

# ACCUVAC Rescue

## Suction system for hospital and emergencies

ACCUVAC Rescue can be used anywhere because it adapts immediately to any suction situation. Thanks to its electronic controls, it provides exactly what each use requires. That saves energy and prolongs its operating life.



Also available with disposable secretions canister



Simple Release

### Pre-selected suction levels with automatic control

- Selection of suction level with the press of a key
- Negative pressure is available within seconds
- Automatic energy-saving stand-by mode

### Strong and silent

- Performance-dependent motor revolution
- Noise-suppressing design
- Stable construction that stands up to the tough conditions in rescue operations

### Convenient operation

- Safe secretion collection with autoclavable reusable canister with bacteria filter
- Suitable for reusable and disposable canisters
- Practical wall bracket with integrated charger
- Quick release and removal at the press of a button
- Easy to clean

### Intelligent charging management

- Real-time check by means of capacity display
- Charging can be done via household power system, charging device or car battery

Device Description	WM-No.	Nato Stock Number
ACCUVAC Rescue with 12 V connection cable to motor vehicle power supply/ACCUVAC, reusable collection canister, accessory bag, wall mounting set	10620	6515-12-353-2076
ACCUVAC Rescue with disposable collection canister (identical to WM 10620, but with disposable collection canister)	10609	
ACCUVAC Rescue with reusable collection canister (identical to WM 10620, but without accessory bag and wall mounting set)	10600	
ACCUVAC Rescue with disposable collection canister (identical to WM 10620, but without accessory bag and wall mounting set)	10608	

**1**

**2**

**3**

**4**

**5**


## Accessories

- 1 Wall mounting – WM 15208**  
including installation set
- 2 Conversion set – WM 15262**  
of disposable collection canister for ACCUVAC  
consists of: Set of disposable collection canister  
(WM 15268) and set of holders (WM 15172)
- 3 Conversion set – WM 15261**  
for reusable collection canister for ACCUVAC  
consists of: Set of reusable collection canister  
(WM 15269) and set of holders for reusable  
collection canister (WM 15271)
- 4 Accessory bag – WM 10655**
- 5 Power pack and battery charger – WM 2610**

You'll find our complete offering of system solutions for  
Emergency, Transport and Disaster Medicine at:  
**[www.weinmann.de](http://www.weinmann.de)**

## Technical Data ACCUVAC Rescue



<b>Classification acc. to EC directive 93/42/EEC:</b>	II b	<b>Suction capacity at 12 V and free flow:</b>	> 20 l/minute
<b>Fulfills product standards:</b>	EN ISO 10079-1 EN 1789	<b>Max. vacuum at 12 V:</b>	0.8 bar (80 kPa)
<b>Dimensions (WxHxD in mm):</b>	370 x 280 x 140 mm	<b>Degree of protection from water:</b>	IPX 1
<b>Weight:</b>	5.1 kg	<b>Hydrophobic bacterial filter:</b>	1 µm filtration grade, 1 mm water break-through pressure: 0.3 bar
<b>Temperature</b>		<b>Secretion container:</b>	reusable container can be sterilized (disposable system is optional)
■ Operating temperature:	-18 to +40 °C	<b>Secretion container volumes:</b>	filling limit: 900 ml
■ Storage temperature:	-40 to +70 °C	<b>Overflow protection:</b>	ball seal and hydrophobic filter
<b>Charging voltage:</b>	12 V to 13.8 V	<b>Aspiration hose:</b>	Ø 10 mm, length 1300 mm
<b>Motor output:</b>	50 W	<b>NATO Stock Number:</b>	6515-12-353-2076
<b>Max. power consumption:</b>	3.5 A		
<b>Type of battery:</b>	nickel cadmium, 2.8 Ah		

■ **Germany** ■ Weinmann Geräte für Medizin GmbH+Co.KG · P.O.Box 540268 · D-22502 Hamburg · Kronsaalsweg 40 · D-22525 Hamburg · E: [info@weinmann.de](mailto:info@weinmann.de) · [www.weinmann.de](http://www.weinmann.de) · T: +49-(0)40-5 47 02-0 F: +49-(0)40-5 47 02-461 ■ **Weinmann Diagnostics GmbH+Co.KG** · Doerriesweg 3 · D-22525 Hamburg · T: +49-(0)40-5 47 02-435 · F: +49-(0)40-5 47 02-530 · E: [info@weinmann-diagnostics.de](mailto:info@weinmann-diagnostics.de) [www.weinmann-diagnostics.de](http://www.weinmann-diagnostics.de) ■ **Center for Production, Logistics, Service** · Weinmann Geräte für Medizin GmbH+ Co.KG · Siebenstücken 14 · D-24558 Henstedt-Ulzburg · T: +49-(0)4193-88 91-0 F: +49-(0)4193-88 91-450 ■ **Switzerland** ■ G. Weinmann AG – Neuenhof · T: +41-(0)56-416 41 11 · E: [info@ch.weinmann.de](mailto:info@ch.weinmann.de) · [www.weinmann.de](http://www.weinmann.de) ■ **France** ■ Weinmann S.A.R.L. – Paris-Igny T: +33-(0)1 69 35 53 20 · E: [info@fr.weinmann.de](mailto:info@fr.weinmann.de) · [www.weinmann.de](http://www.weinmann.de) ■ **Asia-Pacific** ■ Weinmann (Asia-Pacific) Co.Ltd. – Bangkok · T: +66-(0)2-7 63 67 00 · E: [info@asia.weinmann.de](mailto:info@asia.weinmann.de) · [www.weinmann.de](http://www.weinmann.de) ■ **Australia** ■ Weinmann (Australia) Pty. Ltd. – Melbourne · T: +61-(0)3-95 43 91 97 · E: [info@au.weinmann.de](mailto:info@au.weinmann.de) · [www.weinmann.de](http://www.weinmann.de) ■ **New Zealand** ■ Weinmann (New Zealand) Ltd. – New Plymouth T: +64-(0)6-7 59 22 10 · E: [info@nz.weinmann.de](mailto:info@nz.weinmann.de) · [www.weinmann.de](http://www.weinmann.de) ■ **China** ■ Weinmann GmbH+Co.KG (Shanghai Rep. Office) · T: +86 21 32 26 26 98 · E: [info@cn.weinmann.de](mailto:info@cn.weinmann.de) · [www.weinmann.de](http://www.weinmann.de)